

Natural Hydrated Rinse-Off Clay Mask

MDA-A-245-03 - Formulation example

INGREDIENTS		INCI EU (INCI US)	[%]
A			
RonaCare® Bisabolol nat.	(1)	BISABOLOL	0.60
RonaCare® Balmance	(1)	MALTODEXTRIN, CENTAUREA CYANUS FLOWER EXTRACT	4.20
RonaCare® Ectoin	(1)	ECTOIN	1.20
B			
Yellow Illite Clay	(2)	ILLITE	30.00
Tapioca Pure	(3)	TAPIOCA STARCH	20.40
Jojoba Oil, bio	(4)	SIMMONDSIA CHINENSIS (SIMMONDSIA CHINENSIS (JOJOBA) OIL)	1.80
C			
Ronastar® Golden Sparks	(1)	CALCIUM ALUMINUM BOROSILICATE, SILICA, CI 77891 (TITANIUM DIOXIDE), TIN OXIDE	1.80
D			
Water, demineralized		AQUA (WATER)	ad 100
Preservatives		PRESERVATIVES	q.s.

Procedure:

Put Yellow Illite Clay and Tapioca Pure in a blender and mix 2 times for 10 seconds. Add Jojoba Oil and mix 2 times for 10 seconds. Add ingredients of phase A separately and mix each 2 times for 10 seconds. Add phase C and mix 2 times for 10 seconds. Prepare phase D and mix with the powder.

Notes:

Appearance: brownish;

pH value: 5.6 (21°C);

Stability: 3 months at RT, 40°C, 5°C, FTC (-5°C to 40°C) and 1 week 50°C;

Use Instructions: Mix the powder with the water phase and apply for 10-20 min on skin, rinse off with water.

According to our knowledge, all mentioned raw materials are commonly accepted by COSMOS, NaTrue and other ecolabels. However, it has not been checked if the production of these materials fulfills the COSMOS/NaTrue/other requirements.

Suppliers:

- (1) Merck KGaA, Darmstadt, Germany / EMD Performance Materials
- (2) Natural Sourcing
- (3) Azelis Germany GmbH
- (4) Gustav Heess GmbH

