

# Natural Smoothing and Firming Aqueous Serum

## MSAS.907.03.05.17 - Formulation example

INGREDIENTS		INCI EU (INCI US)	[%]
<b>A</b>			
RonaCare® Ectoin	(1)	ECTOIN	1.00
RonaCare® RenouMer	(1)	AQUA (WATER), POLYSIPHONIA ELONGATA EXTRACT (ALGAE EXTRACT), SODIUM BENZOATE, CITRIC ACID	2.00
Water, demineralized		AQUA (WATER)	ad 100
Solagum™ AX	(2)	XANTHAN GUM, ACACIA GUM	1.50
<b>B</b>			
Preservatives		PRESERVATIVES	q.s.
<b>C</b>			
RonaFlair® Flawless	(1)	SILICA, CI 77891 (TITANIUM DIOXIDE), CI 77491 (IRON OXIDES)	3.00
<b>D</b>			
Citric acid, 30% solution		AQUA (WATER), CITRIC ACID	q.s.

### Procedure:

Dissolve the gelling agent in water then add the rest of phase A. Add phase B then phase C and stir until homogeneous. Add phase D to adjust the pH at 5.

### Notes:

Store away from light.

Appearance: light beige gel;

pH: 5.0;

Viscosity: 4 460cP (Fungilab Expert, Spindle R3, 10rpm);

Stability: 3 months at room temperature, 4°C and 45°C;

All Merck KGaA, Darmstadt, Germany/EMD Performance Materials products used are approved by COSMOS or are COSMOS compliant. Other raw materials may be available as COSMOS compliant quality.

### Suppliers:

(1) Merck KGaA, Darmstadt, Germany /

EMD Performance Materials

(2) Seppic

